Tentative AGENDA

Details Subject To Change until the Day of the Meeting

OSSIPEE PLANNING BOARD March 5, 2019

Call to Order:

Pledge of Allegiance:

Roll Call: Connie Billings, Roy Barron, Dennis Legendre, Peter Zavas, Tim Otterbach, Martha Eldridge, (Select. Rep), Rick St. Jean, Alternate- Krystal Eldridge, and Steve McConarty (ZEO).

Public Input: Unrelated to any case being presented tonight.

Meeting Minutes: Review to approve Meeting Minutes of 02/19/2019.

Informal Discussion:

• N/A

Financial:

• N/A

<u>Unsatisfied Conditions:</u> (continued from previous PB Mtgs):

• See separate sheet with details. (No updates)

Unfinished Business:

Gravel Pits: (No updates)

- Chickville Rd. Pit pending conditions for GP approval
- Berry/Evans Bros. Pit pending submission of application from White Mtn. Survey by the July 1, 2019 deadline.
- Morse Pit Status quo

New Business: N/A

Notices:

March 12, 2019 – Town Election Day - 10:00 AM – 7:00 PM at Town Hall

March 13, 2019 – Annual Town Meeting - 6:30 PM – 8:00 PM at Town Hall

Any Other Business Which May Come Before This Meeting

Adjournment:

Next Meeting: March 19, 2019 @ 7:00 pm

Unsatisfied Conditions

Board	Date	Applicant	List of Conditions
			SPR granted Pending remaining conditions: #1: Written proof of who is responsible for
			the clean-up of offsite drinking wells both private and public with proof on the means to
PB	06/06/2017	Valley Point, LLC	do so
			SPR granted Pending remaining conditions #2: All excavation shall be under the
			supervision of NHDES with continued testing being done to prove that no new
PB	06/06/2017	Valley Point, LLC	contamination is present.
	, ,	i i	SPR granted Pending remaining conditions #3: All contaminated soils shall be removed
PB	06/06/2017	Valley Point, LLC	from the site and safely disposed of per NHDES regulations.
	, ,	i i	SPR granted Pending remaining conditions #4: No new construction of any buildings
PB	06/06/2017	Valley Point, LLC	shall begin until the entire site is deemed safe and clean of all contamination.
	, ,	i i	SPR granted Pending remaining conditions #5: Plans that show the prevention of further
PB	06/06/2017	Valley Point, LLC	groundwater contamination.
	00/00/201	, , , , , , , , , , , , , , , , , , , ,	SPR granted Pending remaining conditions: #6: Plans for groundwater contamination
			monitoring shall continue until NHDES reports the site is safe and all drinking wells are
			clean for a time line as set by NHDES per the Petroleum Fund Regulations or 5 (five)
PB	06/06/2017	Valley Point, LLC	years whichever is greater.
	00/00/201	, , , , , , , , , , , , , , , , , , , ,	SPR granted Pending remaining conditions: #7: Proof of State approval of the water well
PB	06/06/2017	Valley Point, LLC	and septic system.
	00,00,200	, , , , , , , , , , , , , , , , , , , ,	SPR granted Pending remaining conditions #8: All permit/approvals of Federal, State and
PB	06/06/2017	Valley Point, LLC	Local shall be in place before any construction begins.
110	00/00/2017	vancy rount, EEC	SPR granted Pending remaining conditions: #9: No salt to be used for snow and ice
PB	06/06/2017	Valley Point, LLC	removal.
110	00/00/2017	vancy rount, EEC	SPR granted Pending remaining conditions #10: All construction shall be materially of
PB	06/06/2017	Valley Point, LLC	the latest design.
1 1)	00/00/2017	vancy rount, EEC	SPR granted Pending remaining conditions #11: All Federal, State and Local Regulations
PB	06/06/2017	Wallow Doint, LLC	shall be followed.
ГЪ	06/06/2017	Valley Point, LLC	SPR granted Pending remaining conditions #12: Site shall be developed as per site plans
PB	06/06/2017	Wallow Doint, LLC	approved by this Planning Board.
ГЪ	06/06/2017	Valley Point, LLC	SPR granted Pending remaining conditions: #13: Any spills, requiring notification of
			NHDES, per NHDES rules, shall result in the evacuation of the Oil and Water Separator
PB	06/06/2017	Valley Point, LLC	system and shall be cleaned semi-annually.
115	00/00/2017	Valley Fornt, ELC	SPR granted Pending remaining conditions: #1: Official Letter from Fire Chief approving
		Verizon/H&R Block c/o Dave	the plan. Pending final inspection letter from Fire Chief 05/25/2018 – Certified letter
PB	11/21/2017	Poulin	sent requesting an update of Fire Chief's condition for a full fire alarm system.
115	11/21/2017		SPR granted Pending remaining conditions #4: Lighting Plan on Design Plan dated
PB	08/07/2019	John W. Dawson, Jr/Laundry Mat	07/16/2018 on aerial plan and interior plan dated 06/16/2018.
110	08/07/2018	John W. Dawson, Jr/Laundry	07/ 10/ 2010 on actial plan and interior plan dated 00/ 10/ 2010.
PB	08/07/2018	Mat	SPR granted Pending remaining conditions #5: Variance approval by ZBA
FD	00/0//2018	iviat	
PB	00/19/2019	Read Laighton Chighwills CD	Pending condition #1: Legal documentation to support which owner put forth the
PD	09/18/2018	Brad Leighton – Chickville GP	reclamation fees, Coyne or Leighton.
DD	00 /10 /2010	Drad Leighton Chi-1-ill- CD	Pending condition #2: Legal opinion from the Town of Ossipee's, Attorney Sager on the
PB	09/18/2018	Brad Leighton – Chickville GP	disbursement of Mr. Coyne's money.
PB	12/18/2018	Mtn. Grainery – Norway Plains	SUBD granted Pending conditions: #1: Update driveway permit with the State NHDOT
	_, -=, _ ==10	1101110	SUBD granted Pending conditions: #2: Revise plan with corrected driveway
PB	12/18/2018	Mtn. Grainery – Norway Plains	configuration & Mylar
		, , ,	·
PB	12/18/2018	Mtn. Grainery – Norway Plains	SUBD granted Pending conditions: #3: Boundaries pinned
nn.	10/10/		SUBD granted Pending conditions: #4: All Federal, State and Local Regulations shall be
PB	12/18/2018	Mtn. Grainery – Norway Plains	followed.
	00/10/	Northgate Ossipee, LLC –	SPRA granted Pending conditions: #1: May start construction of the pool area once the
PB	02/19/2019	WWSCG	Alteration of Terrain permit is approved.
	,	Northgate Ossipee, LLC –	SPRA granted Pending conditions: #2: The swimming pool will not be constructed until
PB	02/19/2019	WWSCG	receipt of the State Pool Permit Approval.